

PRE-BID QUERY RESPONSE

NAME OF THE TENDER: SELECTION OF SYSTEM INTEGRATOR FOR "SUPPLY AND INSTALLATION OF 121 ATAL TINKERING LAB INCLUDING OTHER SERVICES IN GOVERNMENT SCHOOLS"

TENDER NO: EDCIL/DES/ATL/2024 DATED 25.01.2024

NAME OF BIDDERS WHO SUBMITTED THE PRE BID QUERIES:

- 1. STEMROBO TECHNOLOGIES PVT LTD
- 2. Valuer Fabtex Pvt. Ltd.

S.NO	SECTION	PAGE	CLAUSE AS PER RFP	CLARIFICATION	RESPONSE
•	NO.	NO.		SOUGHT	
1	CHAPTER-	Page no	The bidder should be a company	As this project aligns with the ATAL	Refer
	V	38	registered in India under Companies Act	TINKERING LAB initiative by Niti	Corrigendum
	Eligibility		1956 or 2013 or Proprietorship	Aayog, the ATL project was introduced	01
	Criteria:		/Partnership Firm with their	in 2016. When evaluating the	
			registered office in India in operation for	qualifications of the bidder in the Pre-	
			at least 10 years preceding the bid due	Qualification (PQ) and Technical	
			date.	Qualification (TQ) phases, it is	
				important to consider their experience in	
			For MSME/NSIC registered bidder:	connection with the ATL Project.	
			The bidder should be a company	If a bidder is registered before 2016, they	
			registered in India under Companies Act	may have experience with 1 or 2 ATL	
			1956 or 2013 or	projects within the last 2/3 years.	



	1	r	Education • Innovation • Transformation		1
			Proprietorship /Partnership Firm		
			with their registered office in India	receive higher marks in PQ/TQ	
			in operation for at least 5 years	compared to bidders with experience in	
			preceding the bid due date.	ATL since 2016.	
2	CHAPTER-	Page no	Bidder should have the experience of	This project is based on the ATL project	No Change
	V	39	Implementation of two work orders of	as per NITI Aayogs's ATAL	
	Eligibility		Atal Tinkering Lab each of value not less	TINKERING LAB. So the ATL project	
	Criteria:		than 7.26 crore .	has a budget of 12 lakh per school.	
			OR	Suggestion- The bidder has experience	
			• Bidder should have the experience	in ATL project their Cumulative work	
			of Implementation of one work order	orders should be considered to have	
			of Atal Tinkering Lab of value not	value of as per PQ/TQ.	
			less than 9.68 crores.	Even, till date only one ATL project has	
				introduced a value of more than 5 Cr by	
				one state department.	
3	TECHNIC	Page no	The bidder should be a company	As this project aligns with the ATAL	Refer
	AL	40	registered in India under Companies	TINKERING LAB initiative by Niti	Corrigendum
	EVALUATI		• Act 1956 or 2013 or Proprietorship	Aayog, the ATL project was introduced	01
	ON		/Partnership Firm with their	in 2016. When evaluating the	
			registered office in India in	qualifications of the bidder in the Pre-	
			operation for at least 10 years	Qualification (PQ) and Technical	
			preceding the bid due date.	Qualification (TQ) phases, it is	
				important to consider their experience in	
				connection with the ATL Project.	
				If a bidder is registered before 2016, they	
				may have experience with 1 or 2 ATL	
L	1	1	1		1



· · · · · · · · ·		-	1	Education • Innovation • Transformation		
					projects within the last 2/3 years.	
					Consequently, such bidders would	
					receive higher marks in PQ/TQ	
					compared to bidders with experience in	
					ATL since 2016.	
4	TECHNIC	Page no	•	Experience of successfully executing	This project is based on the ATL project	No Change
	AL	40		the work of Atal Tinkering Lab each	as per NITI Aayogs's ATAL	
	EVALUATI			of value not less than 7.26 crore.	TINKERING LAB. So the ATL project	
	ON				has a budget of 12 lakh per school.	
					Suggestion- The bidder has experience	
					in ATL project their Cumulative work	
					orders should be considered to have	
					value of as per PQ/TQ. and marks should	
					be given accordingly	
					Even, till date only one ATL project has	
					introduced a value of more than 5 Cr by	
					one state department.	
5	Laptop	30	•	Intel i3 / Ryzen R3 (or higher) or an	Kindly remove the below mentioned	Refer
	Specificatio			equivalent.	point: -	Corrigendum
	ns		•	8 GB RAM - 3200 Mhz or higher -	1. Metal-alloy body: - Its heavy in	-01
				expandable to 32 GB (2 Physical	weight, we request to change the Metal	
				DIMM),	alloy body (A& D cover)	
			•	512 GB SSD or higher (Should be		
				Dual Storage Capable),	We request to consider model which is	
			•	Integrated Graphics,	light weight and gives better	
					performance	
			I		*	



	Education • Innovation • Transformation
	Minimum 14 -inch LED- backlit (ACER ONE 14 Z2-493)
	(1366 x 768 resolution),
	HD webcam Dual Microphone As per the specification of the port these
	• Integrated Ethernet 10/100/1000 ports are no longer available, the latest
	NIC, port is available it should be considered
	Metal-Alloy Body (A& D Cover), 1. 1xHDMI
	Narrow Bezel (83% Body to Screen 2xUSB 3.2 Gen 1 Type A 1xUSB 3.2
	Ratio), (Gen1) Type C 1xMicro SD card reader
	• Port: HDMI (1.4b) - One (1), 2. 1xRJ45(Gigabit LAN) 1x Audio
	Headphone /microphone Combo : Combo port 1xDC-in Jack
	One (1), Power connector -One(1), 1xSecurity Lock Slot
	RJ45/Ethernet -One(1)or Wi-Fi
	enabled, 2 USB 3.1, 1 x USB 2.0, 1 x
	USB 3.2 Gen 2 (Type C), 1 multi-
	format digital media reader
	supporting SD, SDHC, SDXC cards,
	• Port: HDMI (1.4b) - One (1),
	Headphone /microphone Combo :
	One (1), Power connector -One(1),
	RJ45/Ethernet -One(1)or Wi-Fi
	enabled, 2 USB 3.1, 1 x USB 2.0, 1 x
	USB 3.2 Gen 2 (Type C), 1 multi-
	format digital media reader
	supporting SD, SDHC, SDXC cards,
	Security: Hardware TPM 2.0,
	Security Lock Slot,
•	



Battery: 3 cell 36 Whr or better, 3 Year Comprehensive Warranty including with 3 years warranty on battery & adapter Mandatory Industry Standard	
including with 3 years warranty on battery & adapter	
battery & adapter	
Mandatory Industry Standard	
Certifications: CE, FCC/UL	
Compliance, EPEAT/EPR, Energy	
Star.	
OEM should have valid ISO90001,	
ISO50001, ISO20001, ISO27001 &	
ISO14001.	
6 Speaker 31 • Speakers with a balanced frequency Kindly change the Speaker specification Refe	efer
response (e.g., 60 Hz to 20 kHz), due to easy to install, and sound quality Cor	orrigendum
• suitable power handling (aligned is good due to which the student come to 01	
with the lab's amplifier), listen well.	
sensitivity level around 85 dB Speakers with a balanced frequency	
Durable construction response (e.g., 120Hz to 15 kHz),USB	
power, Volume Control, 3.5mm Jack	
S/N ratio ≥60dB dB	
Separation $\geq 50 dB$	
7 Plastic 32 • Material-Plastic, Request to kindly consider armless Refe	efer
Chairs • Product Dimensions-56.5D x 41W x chairs, emphasizing the compact nature Cor	orrigendum
86.5H Centimeter's, of the armless chairs, ideal for 01	
Back Style maximizing space in classrooms and	
Should have Arm Rest labs.	



S.No.	Tender Page No	Tender Clause Reference	Original	Clause	Revised	Clause
1.	38	Clause 6.2 Eligibility Criteria Sr. No. 1	The bidder should be a India under Companies Proprietorship /Partners registered office in India 10 years preceding the big	Act 1956 or 2013 or ship Firm with their in operation for at least	_	Act 1956 or 2013 or ship Firm with their in operation for at least
	40		For MSME/NSIC register The bidder should be a India under Companies Proprietorship /Partners registered office in India 5 years preceding the bid	company registered in Act 1956 or 2013 or ship Firm with their in operation for at least	For MSME/NSIC registe The bidder should be a India under Companies Proprietorship /Partner registered office in India 5 years preceding the bid	company registered in Act 1956 or 2013 or ship Firm with their in operation for at least
2.	40 and 41	Clause 6.2 Technical Evaluation Sr. No. 1	The bidder should be a company registered in India under Companies Act 1956 or 2013 or Proprietorship	More than 10 Years: 10 Marks More than 12 Years: 15 Marks	The bidder should be a company registered in India under Companies Act 1956 or 2013 or Proprietorship	\geq 12 Years: 20 Marks \geq 10 Years: 15 Marks
			/Partnership Firm with their registered office in India in	More than 15 Years: 20 Marks	/Partnership Firm with their registered office in India in	≥ 8 Years: 10 Marks



			E	ducation • Innovation • Transformation	- - - - - - - - - - - -	
			operation for at least 10 years preceding the bid due date.		operation for at least 10 years preceding the bid due date.	
			For MSME/NSIC register	red bidder:	For MSME/NSIC register	red bidder:
			The bidder should be a company registered in	More than 10 Years: 20 Marks	The bidder should be a company registered in	
			India under Companies Act 1956 or 2013 or Proprietorship	More than 7 Years: 15 Marks	India under Companies Act 1956 or 2013 or Proprietorship	≥7 Years: 15 Marks
			/Partnership Firm with their registered office in India in operation for at least 10 years preceding the bid due date.	More than 5 Years: 10 Marks	/Partnership Firm with their registered office in India in operation for at least 10 years preceding the bid due date.	≥5 Years: 10 Marks
3.	30	Technical Specificati ons	equivalent. • 8 GB RAM - 32 expandable to 32 C	R3 (or higher) or an 200 Mhz or higher - 3B (2 Physical DIMM), igher (Should be Dual cs,	expandable to 32 (200 Mhz or higher - 3B (2 Physical DIMM) igher (Should be Dual



Education • Innovation	
Minimum 14 -inch LED- backlit (1366 x	• Minimum 14-inch LED- backlit (1366 x
768 resolution),	768 resolution)
HD webcam Dual Microphone	• Body to Screen ratio should be higher
Integrated Ethernet 10/100/1000 NIC,	than 80%
Metal-Alloy Body (A& D Cover),	HD webcam with Dual Microphone
Narrow Bezel (83% Body to Screen Ratio),	• Integrated Ethernet 10/100/1000 NIC
• Port: HDMI (1.4b) - One (1), Headphone	• Port: HDMI - One(1), Headphone
/microphone Combo : One (1), Power	/microphone Combo : One (1), Power
connector -One(1), RJ45/Ethernet -	connector -One(1), RJ45/Ethernet -
One(1)or Wi-Fi enabled, 2 USB 3.1, 1 x	One(1)or Wi-Fi 6 enabled, 2 USB 3.2, 1 x
USB 2.0, 1 x USB 3.2 Gen 2 (Type C), 1	USB 3.2 Gen 1 (Type C), 1xMicro SD card
multi-format digital media reader	reader,
supporting SD, SDHC, SDXC cards,	• Security: TPM 2.0, Security Lock Slot,
Security: Hardware TPM 2.0, Security	• Battery: 3 cell 36 Whr or better,
Lock Slot,	• 3 Year Comprehensive Warranty
• Battery: 3 cell 36 Whr or better, 3 Year	including with 3 years warranty on
Comprehensive Warranty including with	battery & adapter, Reputed brand
3 years warranty on battery & adapter,	Mandatory Industry Standard, Preinstall
Mandatory Industry Standard	OEM Own Manageability Tool/Software
Certifications: CE, FCC/UL Compliance,	for Asset Management, Patch
EPEAT/EPR, Energy Star.	Management, Power Management
OEM should have valid ISO90001,	Settings, 3rd Party Application
ISO50001, ISO20001, ISO27001 &	Deployment, Network Monitoring.
ISO14001.	• Certifications: CE, FCC/UL Compliance,
	EPR, Energy Star.



		Education • Innovation • Transformation	
			OEM should have valid ISO90001, ISO50001, ISO20001, ISO27001 & ISO14001.SA 8000, Window 11 Home (Factory Preloaded)
4.	31 Technical Specifications	 Projector DLP, Front & Rear Both XGA 1024 x768 4000 ANSI Lumens for Colour Light & White -light Output Both or higher Contrast Ratio : 20000: 1 Aspect Ratio : 4:3 and 16:9 both Throw Ratio : 1.44 - L95: 1 Lamp life: Min.6000 Hrs. (Normal Mode) & 12000 hrs. I/O connection Mode: VGA, HDMI OEM Warranty: 1 year OEM should have service centre in Tripura for minimum 10 years. OEM should have direct presence in India for minimum 20 years. 	 Projector DLP, Front & Rear Both XGA 1024 x768 4000 ANSI Lumens for Colour Light & White -light Output Both or higher Contrast Ratio : 20000: 1 Aspect Ratio : 4:3 and 16:9 both Throw Ratio : 1.44 - 2.10 Light Source-UHP/UHE/UHM Lamp life: Min.6000 Hrs. (Normal Mode) & 12000 hrs. I/O connection Mode: HDMI*2, USB-A OEM Warranty: 2 year, 1 Year or 1000 hours on light source OEM should have service centre in Tripura for minimum 10 years. OEM should have direct presence in India for minimum 20 years.
5.	31 Technical Specificati ons	 <u>Printer (Black and White)</u>: Max Print speed Monochrome - 7.5 ppm, Max Print speed Colour - 5.5 ppm, 	 Printer (Black and White): Product Dimensions -21.56 x 12.42 x 42.57 cm, 2.36 Kilograms, Batteries: 1 Lithium Ion batteries required,



	-	- 1	Education • Innovation • Transformation	
			 Printer Output Type- Colour, Printing Technology - Inkjet , 	 Hardware Interface - USB , Max Print speed Monochrome - 7.5
			 Printer Media Size Maximum -A4, B5, A6, DL, envelope , 	 Max 11111 speed Monochronie 7.5 ppm, Max Print speed Colour - 5.5 ppm ,
			 Resolution - 4800 x 1200 DPI, 1200 x 1200 DPI , Connector Type -USB 	 Printer Output Type- Colour, Printing Technology - Inkjet ,
			Warranty: 1 Years onsite	 Printer Media Size Maximum -A4, B5, A6, DL, envelope ,
				• Resolution - 4800 x 1200 DPI, 1200 x 1200 DPI ,
				Connector Type -USB
				Warranty: 1 Years
6.	32	Technical	<u>Plastic Chairs:</u>	<u>Plastic Chairs:</u>
		Specificati	• Material-Plastic,	• Material-Plastic,
		ons	• Product Dimensions-56.5D x 41W x 86.5H	• Product Dimensions-50.5D x 41W x 85.5H
			Centimetres,	Centimetres,
			• Back Style	• Back Style without arm.
			Should have Arm Rest	
7.	31	Technical	<u>Speakers:</u>	Speakers:
		Specificati	• Speakers with a balanced frequency	• Speakers with a balanced frequency
		ons	response (e.g., 60 Hz to 20 kHz),	response.
			• suitable power handling (aligned with the	• suitable power handling (aligned with the
			lab's amplifier),	lab's amplifier),
			• sensitivity level around 85 dB	sensitivity level around 60 dB



		Durable construction	Durable construction
8.	32 Techn Specif ons		 Table: Size: 42"x 24"x30" The Support Frame of the table should be made of 25 x 25 x 0.6mm thick square MS pipe. The top should be made of 17+-1 mm thick prelaminated board with open sides duly sealed. One drawer should be provided on right hand side. The support frame should be
		powder coated. Buffers are to be provided at the bottom.	painted. Shoes are to be provided at the bottom.
9.	32 Techn Specif ons	cal <u>Storage Box/wall Almirah</u>	 Storage Box/wall Almirah Size: 36" H x 36" W x 12-13" Depth The Storage rack is made of prelaminated particle Board of 17+- 1 mm thickness.
		• The rack should be closed on three sides with the 9 pigeon hole. The rack should be sturdy. The open edges are duly sealed with Tape Storage Box/Wall Almirah boasts a modular design with sturdy construction	• The rack should be closed on three sides with the 9 pigeon hole. The rack should be sturdy. The open edges are duly sealed with Tape Storage Box/Wall Almirah boasts a modular design with sturdy construction



10.	32	Technical Specificati ons	 Steel Almirah Size: 50"H x 30"W x 17 ' Depth The Cup Board should be made of 22G. CRCA sheet with glass Doors and two fixed shelves. The pedestal should be of 3" height. The Almirah should be duly Powder Coated 	 Steel Almirah Size: 50"H x 30"W x 17 ' Depth The Cup Board should be made of 26G. CRCA sheet with doors and two fixed shelves. The pedestal should be of 3" height.



Annexure XX

S.No.	Items	MAF Required
1	Package 1	Yes
2	Package 2	Yes
3	Package 3	Yes
4	Package 4	Yes
5	Laptop	Yes
6	Projector	Yes
7	Projector Screen	No
8	20 Watt Speaker	No
9	Projector hanging kit	No
10	Printer (Black and White)	Yes
11	2 Kg Portable fire extinguisher	No
12	Steel Almirah	No
13	Tables	No
14	Chairs	No
15	Storage Boxes/ Wall Almirah	No
16	Refurbishment of Tinkering Lab in terms of electrical fittings, painting, whitewash, etc.	No
17	Printing of banner/board, signage etc. in consultation with the schools	No



The Revised date and time of the RFP will be as follows:

S.No	Event Description	Date and Time (as per Tender document)	Revised date and Time	
1.	Last Date and Time for	05.02.2024 till 16:00 Hrs In case a	09.02.2024 till 16:00 Hrs In case a	
	receipts of Bids	Holiday is declared on the day of the	Holiday is declared on the day of the	
		event, the same will be held on the next	event, the same will be held on the next	
		working day at the same time & venue.	working day at the same time & venue.	
2.	Date and Time of Opening of	05.02.2024 at 16:30 Hrs	09.02.2024 at 16:30 hrs	
	Technical Bids			

Note: All others terms and conditions of the tender document will remain same.

Sd/-Chief General Manager (DES)